Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/003874

International filing date: 03 February 2005 (03.02.2005)

Document type: Certified copy of priority document

Document details: Country/Office: US

Number: 10/772,942


Filing date: 04 February 2004 (04.02.2004)

Date of receipt at the International Bureau: 17 March 2005 (17.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





4(4) AND IND VARONETHIESE; PRESENTS; SHAME (CONEC:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

March 07, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 10/772,942 FILING DATE: February 04, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/03874

Certified by

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No.	206,195
First Inventor	Dilton A. LIGHTBOURNE
CITIZENSH (P; Bri) Title	PORTABLE KITCHEN FOR PREPARING
Express Mail Label No.	ET 537 601 466 US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Mail Stop Patent App Commissioner for Po P.O. Box 1450 Alexandria VA 22313	atents O
1. X Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing) Applicant claims small entity status. See 37 CFR 1.27. 3. X Specification [Total Pages 13] (preferred arrangement set forth below) - Descriptive title of the invention - Cross Reference to Related Applications - Statement Regarding Fed sponsored R & D - Reference to sequence listing, a table, or a computer program listing appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description	7. CD-ROM or CD-R in duplicate, large Computer Program (Appendix) 8. Nucleotide and/or Amino Acid Sequence (if applicable, all necessary) a. Computer Readable Form (CR b. Specification Sequence Listing i. CD-ROM or CD-R (2 cop ii. Páper c. Statements verifying identity o	stable or Submission F) I on: Dies); or
- Claim(s)	ACCOMPANYING APPLICAT	ION PARTS
- Abstract of the Disclosure 4. X Drawing(s) (35 U.S.C. 113) [Total Sheets 2] 5. Oath or Declaration [Total Sheets 2] a. X Newly executed (original or copy) b. Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional with Box 18 completed) i. DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) name in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b). 6. Application Data Sheet. See 37 CFR 1.76	9. Assignment Papers (cover sheet & 37 CFR 3.73(b) Statement (when there is an assignee) 11. English Translation Document (if a Information Disclosure Statement (IDS)/PTO 1449 13. Preliminary Amendment Return Receipt Postcard (MPEP 5 (Should be specifically itemized) 15. Certified Copy of Priority Documen (if foreign priority is claimed) 16. Nonpublication Request under 35 (b)(2)(B)(i). Applicant must attach for its equivalent. 17. Other:	A document(s)) Power of Attorney Applicable) Copies of IDS Citations 03) at(s) U.S.C. 122 form PTO/SB/35
18. If a CONTINUING APPLICATION, check appropriate box, and supp	ly the requisite information below and in the firs	t sentence of the
specification following the title, or in an Application Data Sheet under 37	CFR 1.76:	
Continuation Divisional Continuation	tion-in-part (CIP) of prior application No.:	*************************
Prior application information: Examiner For CONTINUATION OF DIVISIONAL APPS only; The entire disclosure of the 5b, is considered a part of the disclosure of the accompanying continuation	Art Unit:	on is supplied under Box
The incorporation can only be relied upon when a portion has been inadvent	tently omitted from the submitted application parts.	a by reference.
	DENCE ADDRESS	
Customer Number:	OR X Correspondence	address below
Name ABELMAN, FRAYNE & SCHWAB		
Address 150 East 42nd Street		
City New York	State NY Zip Co	ode 10017 5612
Trew Tork	1111	10017-3012
	212-949-9022	212-949-9190
Name (Print/Type) Joseph J. Cafanzaro	Registration No. (Attorney/Agent) 25,837	
Signature / / ////	Date	02/04/2004

This collection of information is required by 37 CFR 1.53(b). The hormation is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 55 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time volveque to complete this form and/or suggestions for reducing this burden should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Patent Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/17 (10-03)

Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

ર	
0404	

FEE TRANSMITTAL for FY 2004

Effective 10/01/2003. Patent fees are subject to annual revision.

Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT

	205	^^
(\$)	385	.uu

Complete if Known				
Application Number				
Filing Date	February 4, 2004			
First Named Inventor	Dilton A. LIGHTBOURNE			
Examiner Name	N/A			
Art Unit	N/A			
Attorney Docket No.	206,195			

METH	OD OF PAYMENT (check all that apply)				FEE CALCULATION (continued)				
X Check	X Check Credit card Money Other None			3. ADDITIONAL FEES					
X Deposit	Account:	Order -	_	L <u>arge</u>	Entity	Smal	Entity	!	
Deposit	Account.			Fee	Fee	Fee	Fee	Fee Description	
Account		01-0035		Code 1051	(\$) 130	Code 2051		Surphorae late filling for an auth	Fee Paid
Number Deposit				1051	50	2052		Surcharge - late filing fee or oath	<u> </u>
Account Name	ABELMA	N, FRAYNE & SC	HWAB					Surcharge - late provisional filing fee or cover sheet	
The Director is	s authorized to	: (check all that apply)		1053	130	1053		Non-English specification	
1= '	(s) indicated be	···· <u></u>	overpayments		2,520	1812	•	For filing a request for ex parte reexamination	
X Charge any	additional fee(s	s) or any underpayment o	of fee(s)	1804	920*	1804	920*	Requesting publication of SIR prior to Examiner action	
		low, except for the filing	fee	1805	1,840*	1805	1,840*	Requesting publication of SIR after	
to the above-ide				4054	440	0054		Examiner action	
		ALCULATION		1251	110	2251		Extension for reply within first month	
1. BASIC FI				1252	420	2252	210		
Large Entity S Fee Fee F		Fee Description	Fee Paid	1253	950	2253		Extension for reply within third month	
	Code (\$)	ree Description	reeralu	1254	1,480	2254		Extension for reply within fourth month	
1001 770	2001 385	Utility filing fee	385.00	1255	2,010	2255	1,005	Extension for reply within fifth month	
1002 340	2002 170	Design filing fee	363.00	1401	330	2401	165	Notice of Appeal	ļ j
1003 530	2003 265	Plant filing fee		1402	330	2402	165	Filing brief in support of an appeal	ļ l
1004 770	2004 385	Reissue filing fee		1403	290	2403	145	Request for oral hearing	
1005 160	.2005 80	Provisional filing fee		1451	1,510	1451	1,510	Petition to institute a public use proceeding	
I	s	UBTOTAL (1) (\$)	385.00	1452	110	2452	55	Petition to revive - unavoidable	
2 EYTPA C		FOR UTILITY AN		1453	1,330	2453	665	Petition to revive - unintentional	<u> </u>
Z. EXTRA C	LAIN FEE	Fee fro	om	1501	1,330	2501	665	Utility issue fee (or reissue)	
Total Claims	16 -20*	Extra Claims below	y Fee Paid	1502	480	2502	240	Design issue fee	
Independent				1503	640	2503	320	Plant issue fee	
Claims Multiple Depen		•= [0 x	₹ }— —Қ	1460	130	1460	130	Petitions to the Commissioner	
			الـــــــــــــــــــــــــــــــــــــ	1807	50	1807	50	Processing fee under 37 CFR 1.17(q)	
Large Entity Fee Fee	Small Entity Fee Fee	Fee Description		1806	180	1806	180	Submission of Information Disclosure Stmt	
Code (\$)	Code (\$)	,		8021	40	8021	40	Recording each patent assignment per property (times number of properties)	
1202 18 1201 86	2202 9 2201 43	Claims In excess of 20 Independent claims in		1809	770	2809	385	Filing a submission after final rejection (37 CFR 1.129(a))	
1203 290	2203 145	Multiple dependent cla	,	1810	770	2810	385	For each additional invention to be examined (37 CFR 1.129(b))	
1204 86 2204 43 ** Reissue independent claims over original patent			nt claims	1801	770	2801	385	Request for Continued Examination (RCE)	
1205 18	2205 9	** Reissue claims in e	xcess of 20	1802	900	1802		Request for expedited examination	
		and over original pa						of a design application	
SUBTOTAL (2) (\$) 0.00					fee (sp				
**or number	*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)								

SUBMITTED BY (Complete (if applicable) Registration No. Name (Print/Type) Joseph J. Catanzaro 25,837 Telephone 212-949-9022 (Attorney/Agent) Signature 2004 February 4,

WARNING) Information on this form may become public. Credit card information should not

be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PORTABLE KITCHEN FOR PREPARING AND STORING FOODS OR THE LIKE

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to a portable kitchen for preparing and storing food products of the like, contemplated primarily for use in the field. The kitchen is contained within a portable suitcase-type carry bag and includes power adapters which render the kitchen operable away from the home as well as in the home.

2. <u>Description of the Prior Art</u>

In the past attempts have been made to provide kitchen devices in portable units for purposes of availability and convenience, primarily away from home, but also for use within the home, when needed. Certain attempts included actual certain kitchen utilities such as burners for cooking and preparing hot foods and utensils used for preparing and serving the foods. Many of such attempts have included portable containers for supporting the storage of the functional items used for preparing and serving the food.

One example of a portable kitchen is disclosed in U.S. patent no. 6,079,400 wherein a portable camp kitchen comprises a cooker unit with a burner and a container member adapted to contain the cooking unit integrally with the latter. The cooker unit is mounted on a frame which is in turn supported on rotatable support members. Another example of a

camper style kitchen caddy is disclosed in U.S. patent no. 5,579,914 which relates to a camper kitchen caddy having a carrying case which includes various food preparation items mounted thereon. U.S. patent no. 5,257,509 relates to a convertible briefcase, food and beverage carriage, and mini-cooler in which a container is convertible between a briefcase, a food and beverage carriage, and a mini-cooler. U.S. patent no. 4,706,817 relates to a portable food holding device comprising a table section with foldable legs and a cover attached thereto. U.S. patent no. 3,489,267 relates to a cooking unit for campers and the like intended to enable the use of various utensils in combination with other utensils and compact packing of the whole. The combination of elements disclosed include at least one first utensil, a second utensil, and a third utensil, whereby the third utensil can serve as a cover for the first utensil and so can a second utensil, and a second utensil can also serve as a cover for a third utensil, and the three can be put together with the second utensil sandwiched between the first utensil and the third utensil. Lastly, U.S. patent no. 3,171,700 relates to a bar cabinet of the type having hinge means pivotally connecting two sections which form an enclosure for bar implements, bottles and the like.

While the prior art includes various attempts to provide kitchen-type devices with portability, none relate to a device which provides the scope of function and utility to prepare and store foods with efficiency, away from the home, as well as within the home, and with various power adapter capabilities to provide the requisite heating and cooling functions for preparation and storage of foods. I have invented a portable mini-kitchen which includes kitchen-type appliances generally needed for the preparation and storage of foods, with multiple energy adapters for use with various power sources within and away from the home.

SUMMARY OF THE INVENTION

The present invention relates to a portable kitchen, which comprises a case having at least one cover movable between closed and open positions, the closed position being for compact containment of contents therein, and the open position exposing the contents for use. A plurality of functional food preparation and storage devices are supported within the case, including a refrigerator unit capable of containing and storing foods at conventional refrigerator storage temperatures, a microwave power unit for microwave heating of foods, and a cooking unit having cooking burners for heating cookware or the like for preparing heated foods. The invention further comprises a power connecting device for connecting an outside source of power to the food preparation and storage devices to provide functioning power to the devices.

The power connecting device is preferably at least one of a direct current (i.e., D.C.) connecting device and an alternating current (i.e., A.C.) connecting device. The refrigerator unit is capable of maintaining food items at conventional refrigeration temperatures, i.e., between about 34°F and about 46°F, and more particularly, between about 36° F and about 40° F, when supplied with power.

The microwave power unit includes at least one pivotable access door for gaining access to a central food heating section, the access door having a glass viewing panel which permits viewing of an internal microwavable heating section. The microwave power unit may also include at least two pivotable access doors for gaining access to a central food heating section, each said access door having a glass viewing panel.

The portable kitchen further comprises a toaster device supported by the case for toasting food items. Further the refrigerator unit is preferably positioned adjacent the microwave unit, each being insulated from the other by a heat insulating wall. The microwave unit may be positioned adjacent the cooking unit, each separated from the other by a heat insulating wall.

The portable kitchen further comprises a storage space and a plurality of support shelves for supporting utensils, equipment, food or the like. Further, the power connecting device is preferably a power inverter having a power cord for connection to a direct current (i.e., D.C.) source. The power cord preferably includes a device for connection to a cigarette/cigar lighter of a motorized unit.

The motorized unit may be an automobile, SUV, RV, mini-van, boat or the like. Further, the power connecting device may also be a power connection device having a power cord adapted for connection to a conventional alternating current (i.e., A.C.) power source. Further, the power cord may also include a connection device at one end for insertion into an alternating current (i.e., A.C.) power source, such as a standard wall duplex outlet.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a top and right side perspective view of a portable kitchen for preparing and storing foods or the like constructed according to the present invention;

Fig. 2 is a top and right side perspective view of the portable kitchen shown in Fig. 1 in the open condition, illustrating the functional food preparation and storage facilities, the device being ready for use in preparing and/or storage of foods; and

Fig. 3 is a top and right side perspective view of the portable kitchen shown in Fig. 2 illustrating the incorporation and use of an alternative source of power for food preparation and storage.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Referring initially to Fig. 1 there is shown a portable kitchen 10 for preparing and storage of foods or the like constructed according to the present invention. The portable kitchen 10 is contained within a carry case 12 having a structure and functional arrangement similar to the structure of a suitcase or briefcase, wherein a main case 14 has a cover 16 pivotably attached thereto by hinge 18 as shown. Front cover 20 is also pivotably attached by hinge 22 as shown in Fig. 1. The function and arrangement of each of these items will be more fully described in connection with Figs. 2 and 3.

Referring now to Fig. 2 there is illustrated the portable kitchen shown in Fig. 1 with the covers pivotably rotated to the operative position. In particular, the case 14 includes pivotable support tray 20 which may be rotated 90° (degrees) downwardly about hinge 22 and supported on a pair of vertical support members 24,26 placed on the ground, as shown. Support members 24,26 may be attached to the front surface of support shelf 20 by threaded connections with female threaded collar members 28,30, or otherwise be made to support tray 20. The top cover 16 is shown pivotably rotated upwardly approximately 90 degrees relative to the main case 14 about hinge 18 so as to permit full display of the kitchen appliances and utensils as shown in the drawings, as well as an array of storage units as shown.

Referring once again to Fig. 2, the main case 14 includes a microwave unit 32 and refrigerator unit 34. The microwave unit is accessible through vertical front door 36 or horizontal top door 38. Each door 36,38 of the microwave unit respectively includes a glass viewing panel 44,46 as shown. The refrigerator unit 34 is accessible by a vertical front door 40 or alternatively by a horizontal top door 42.

A cooking unit 48 is provided adjacent and immediately to the right of the microwave unit 32, and separated by a wall 50 which is preferably provided with an insulating medium (not shown) to separate the cooking element from the microwave unit. In addition, an insulating wall is provided between the microwave unit 32 and the refrigerator unit 34, but is not shown.

Referring once again to the cooking unit 48, there are provided several burners 52, 54 for heating cookware to prepare foods. In addition, toaster 56 for preparing toast or the like, is provided behind burner 54.

As can be seen in the drawings, each of the powered units, including the microwave 32, the refrigerator 34, the cookware unit 48, and the toaster unit 56 are powered by a connecting device in the form of an inverter 58 which in turn is provided with a power source from a cigarette lighter of a motor vehicle by a power connection cord 60 as shown. Power connection cord 60 includes an appropriate jack 62 which may be inserted into the cigarette/cigar lighter of a motor vehicle (not shown). The power inverter unit 58 is shown schematically in dash lines and may be one of various types available on the market which are usable with SUV's, RV's, mini-vans, automobiles, boats or the like. Power inverters available on the market are provided under the trademark Prosine Wave Inverters. Power inverters such as Prosine Power and X Power Inverters 1750 plus marketed by Xantrex are also contemplated. Alternative power jacks and power sources are also contemplated, depending upon local availability and designs.

As can be seen in Fig. 2, the power connector cord 60 which includes cigarette lighter adapter 62 is connected to the power inverter and provides the appropriate internal power source for the cookware unit, the microwave, the refrigerator and the toaster.

As can also be seen from Fig. 2, an alternative source of power can be provided by way of a bottled gas 64 which is shown in dash lines and which can alternatively be connected as a power source to the appliance units in a known manner. In Fig. 2 there is also illustrated an alternating current outlet adapter which is denoted "A.C. (i.e., alternating

current) outlet" which will be further described in conjunction with the embodiment shown in Fig. 3.

Referring now to Fig. 3, there is disclosed a portable kitchen similar to the embodiment shown in Fig. 2, wherein most or all of the elements and components are identically numbered to those of Fig. 2. The distinction between the embodiment of Fig. 2 and that of Fig. 3 is that the embodiment of Fig. 2 utilizes an A.C. adapter power cord 66 which includes an appropriate jack or connector 68 at one end for insertion into the A.C. outlet opening in the portable kitchen case 14, and at the other end, an A.C. plug 70 adaptable for use in conjunction with a conventional wall mounted A.C. duplex unit 72 of the type generally found in homes, garages or the like. In use, where conventional power sources are available through an alternating current outlet 72 as shown in Fig. 3, the appropriate A.C. connecting wire is inserted into the A.C. outlet opening 68 of the portable kitchen after the connector cord 60 (which is used in conjunction with a vehicle power source and inverter 58) is removed from the device. The appropriate internal power connections are incorporated for conversion either by a switch (switch not shown) or by directing the power units directly to the appropriate connections in each of the appliances. In all other respect the embodiment of the portable kitchen is the same as in the embodiment shown in Fig. 2.

Referring now once again to the portable kitchen shown in Figs. 2 and 3, there is illustrated a pair of storage cabinets 74,76 mounted on cover 16, each storage cabinet respectively including a pivotable door 78,80 as shown for pivotable movement downwardly about respective hinge 79,81, to an open position whereby access to the storage cabinet is available. The storage cabinet also includes a shelf 82 for supporting food, utensils or the

like during and after food preparation. An additional storage unit or well-type opening 84 is included in the main case 14 immediately behind the microwave unit 32 and refrigerator unit 34.

As can be seen from the drawings, the suitcase type cover 16 can be pivotably rotated downwardly, while the shelf 20 can be pivotably rotated upwardly so that they meet and join and are connected by appropriate locking mechanisms 86,88,90 and 92 as shown, to connect and return the suitcase to the closed compact condition shown in Fig. 1.

In operation the portable kitchen can be utilized to prepare and store foods in locations away from home as well as within the home, if required, through the usage of a power supply from an SUV, RV, mini-van, automobile, boat or the like, or thorough a conventional source of power is shown in Fig. 3. The portable kitchen storage space 84, as well as the cabinets 74,76, can be utilized to include storage of utensils, pots, pans or the like when kitchen is not in use. Alternatively, the space 84 can be used to store foods.

It can be seen that the portable kitchen of the present invention is a self-contained unit which can be made to store utensils, kitchen equipment or the like, and can be readily powered for use as a whole or for use as a substitute of a full-size kitchen away from the home or within the home.

CLAIMS


- 1. A portable kitchen, which comprises:
- a) a case having at least one cover movable between closed and open positions, the closed position being for compact containment of contents therein, and the open position exposing the contents for use;
- b) a plurality of functional food preparation and storage devices supported within said case, including:
- 1) a refrigerator unit capable of containing and storing foods at conventional refrigerator storage temperatures;
 - 2) a microwave power unit for microwave heating of foods; and
- 3) a cooking unit having cooking burners for heating cookware or the like for preparing heated foods; and
- c) a power connecting device for connecting an outside source of power to said food preparation and storage devices to provide functioning power to said devices.
- 2. The portable kitchen according to claim 1, wherein said power connecting device is at least one of a direct current (i.e., D.C.) connecting device and an alternating current (i.e., A.C.) connecting device.
- 3. The portable kitchen according to claim 2, wherein said refrigerator unit is capable of maintaining food items at between about 34°F and about 46°F, when supplied with power.


- 4. The portable kitchen according to claim 3, wherein said microwave power unit includes at least one pivotable access door for gaining access to a central food heating section.
- 5. The portable kitchen according to claim 4, wherein each said microwave access door has a glass viewing panel which permits viewing of an internal microwavable heating section.
- 6. The portable kitchen according to claim 5, wherein said microwave power unit includes at least two pivotable access doors for gaining access to a central food heating section, each said access door having a glass viewing panel.
- 7. The portable kitchen according to claim 6, further comprising a toaster device supported by said case for toasting food items.
- 8. The portable kitchen according to claim 7, wherein said refrigerator unit is positioned adjacent said microwave unit, each being insulated from the other by a heat insulating wall.
- 9. The portable kitchen according to claim 8, wherein said microwave unit is positioned adjacent said cooking unit, each separated from the other by a heat insulating wall.
- 10. The portable kitchen according to claim 9, further comprising a storage space and a plurality of support shelves for supporting utensils, equipment, food or the like.
- 11. The portable kitchen according to claim 10, wherein said power connecting device is a power inverter having a power cord for connection to a direct current (i.e., D.C.) source.

- 12. The portable kitchen according to claim 11, wherein said power cord includes a device for connection to a cigarette/cigar lighter of a motorized unit.
- 13. The portable kitchen according to claim 12, wherein said motorized unit is an automobile, SUV, RV, mini-van, boat or the like.
- 14. The portable kitchen according to claim 10, wherein said power connecting device is a power connection device having a power cord adapted for connection to a conventional alternating current (i.e., A.C.) power source.
- 15. The portable kitchen according to claim 14, wherein said power cord includes a connection device at one end for insertion into an alternating current (i.e., A.C.) power source.
- 16. The portable kitchen according to claim 15, wherein said A.C. power source is a standard wall duplex outlet.

ABSTRACT OF THE DISCLOSURE

A portable kitchen, which includes a case having at least one cover movable between closed and open positions, the closed position being for compact containment of contents therein, and the open position exposing the contents for use. A plurality of functional food preparation and storage devices are supported within the case, including: a refrigerator unit capable of containing and storing foods a conventional refrigerator storage temperatures; and a microwave power unit for microwave heating of foods; a cooking unit having cooking burners for heating cookware or the like for preparing heated foods. A power connecting device is provided for connecting an outside source of power to the food preparation and storage devices to provide functioning power to the devices.





BEST AVAILABLE COPY

UNITED STATES

UTILITY PATENT APPLICATION DECLARATION AND POWER OF ATTORNEY – ORIGINAL APPLICATION	ATTORNEY'S DOCKET NO. 206,195

	my r I ver	esidence, ily believ	post office e I am the o	or. I hereby declare that: address and citizenship are as stated below next to my name; and original, first and sole inventor (if only one name is listed below) or a joi below) of the invention entitled:	nt inventor (if
(1) TITLE (INVENTIO)F	(1)	PORT.	ABLE KITCHEN FOR PREPARING AND STORING FOODS OR THE	LIKE
		the spe	ecification of	of which:	
(2) CHECK APPROPRI	ATE	(2)	X	is attached hereto; or	
BOX				was filed on as U.S. Application Number	;
			<u> </u>	and was amended on	(if applicable).
	I ackn applica certifica applica to appli	owledge i tion under ate issued tion filed leations fe	my duty to r 37 C.F.R. before the by me or m or patents o	eviewed and understand the contents of the above-identified specification amendment referred to above. disclose information of which I am aware which is material to the patent § 1.56(a); the invention has not been patented or made the subject of an date of this application in any country foreign to the United States of Analy legal representatives or assigns more than twelve months prior to this a rinventor's certificate on the invention filed in any country foreign to the or my legal representatives or assigns.	ability of this inventor's nerica on an
(3) CHECK APPROPRE BOX	ATE	(3)		no such applications have been filed; or such applications have been filed as follows:	

(4)COMPLETE DATA INDICATED IF APPLICABLE

Country	IGN APPLICATION(S). IF A Application Number	Date of Filing (day, month, year)	Date of Issue (day, month, year)	Priority Claimed Under 35 U.S.C. § 119
(4)				□ Yes □ No
				☐ Yes ☐ No
				□ Yes □ No
ALL FOREIGN /	APPLICATIONS, IF ANY, FI	LED MORE THAN 12	MONTHS PRIOR TO	THIS APPLICATION
(4)				Priority Claimed
				□ Yes □ No
				□ Yes □ No

Thereby claim the benefit under Title 35, United States Code § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35. United States Code, § 112. Lacknowledge the duty to disclose material information as defined in Title 37. Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT international filing date of this application.

(5) COMPLETE DATA INDICATED IF APPLICABLE	(5)			
		(Application Number)	(Filing date)	(Status: patented, pending, abandoned)
	(5)			
		(Application Number)	(Filing date)	(Status: patented, pending, abandoned)

Power of Attorney: As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the U.S. Patent and Trademark Office connected therewith.

Jeffrey A. Schwab. Registration Number 24,490 Thomas E. Spath. Registration Number 25,928 Jay S. Cinamon. Registration Number 24,156 Joseph J. Catanzaro. Registration Number 25,837

Anthony Coppola, Registration Number 41,493 Alan D. Gilliland, Registration Number 26,549 Anthony J. Natoli, Registration Number 36,223

Send correspondence to: ABELMAN, FRAYNE & SCHWAB 150 East 42nd Street New York, New York 10017-5612

Direct telephone calls to: Jeffrey A. Schwab, Thomas E. Spath, Jay S. Cinamon, Joseph J. Catanzaro, Alan D. Gilliland, Anthony Coppola or Anthony J. Natoli at (212) 949-9022

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(6) DETAILS REQUIRED FOR EACH INVENTOR

Full Name of Sole or First Inventor	Inventer Signature	Date //
Dilton A. Lightbourne	Miller	22/1/07
Residence	Ciazenshin DEPENDE	
29 Rockland Estates, Warwick, WK07, Bermuda	Cityzenship DEPENDE DRITSHIGHTONY	
Post Office Address		12 2000,000
h	ME AS ABOVE	
Full Name of Second Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		
Full Name of Third Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		I
Full Name of Fourth Joint Inventor, If Any	Inventor's Signature	Date
		Truic
Residence		Citizenship
Post Office Address		
Full Name of Fifth Joint Inventor, If Any	Inventor's Signature	Date
Residence		Citizenship
Post Office Address		!
Full Name of Sixth Joint Inventor, If Any	Inventor's Signature	Date
Residence .	1	Citizenship
Post Office Address		1
· · · · · · · · · · · · · · · · · · ·		